

10/501120

DI Rec'd PCT/PTO 08 JUL 2004

APPENDIX A



Europäisches
Patentamt

European
Patent Office

Office européen
des brevets

COPY

Einsender / Sender / Expéditeur :

LAGNEAU, Nadege M.
CHOATE, HALL & STEWART
53 State Street
Exchange Place
Boston, Massachusetts 02109
UNITED STATES OF AMERICA

EPO - Munich
83

21. Nov. 2003

☒ D-80298 München
☒ (+49-89) 2399-0
Tx 523 656 epmu d
Fax (+49-89) 23 99-44 65
☒ P.B. 5818 Patentlaan 2
NL-2280 HV Rijswijk
☒ (+31-70) 340-2040
Tx 31 651 epo nl
Fax (+31-70) 340-3016
☒ D-10958 Berlin
☒ (+49-30) 25901-0
Fax (+49-30) 25901-840

Bestätigung über den
Eingang nachgereichter
Unterlagen für Patentan-
meldungen/Patente beim
Europäischen Patentamt

Acknowledgement of
receipt for subsequently
filed items relating to
patent applications/patents
at the European Patent
Office

Accusé de réception à
l'Office européen des bre-
vets de pièces produites
postérieurement au dépôt
d'une demande de brevet/
à la délivrance d'un brevet
européen

Datum und Ort des Eingangs sind aus
der Perforation dieser Eingangsbestäti-
gung ersichtlich
(M + Datum = Einreichungsort München;
H + Datum = Einreichungsort Den Haag;
Datum + B = Einreichungsort Berlin)

Date and place of receipt are shown by
the perforation appearing on this receipt
(M + date = Munich as place of receipt;
H + date = The Hague as place of receipt;
date + B = Berlin as place of receipt)

La date et le lieu de réception sont indi-
qués par la perforation du présent accusé
de réception
(M + date = pièces reçues à Munich;
H + date = pièces reçues à La Haye;
date + B = pièces reçues à Berlin)

Eingereichte Unterlagen

Items filed

Pièces envoyées

Anmeldungs- (und Direktions-*) Nr./Patent Nr. Application (and Directorate*) No./Patent No. N° de la demande (et de la direction*/N° du brevet)	Ihr Zeichen Your reference Votre référence	ggfs. Art und Datum der Unterlagen** Nature and date of items (optional)** Nature et date des pièces (facultatif)**
1 PCT/US03/00390	2003946-0024	-Response to Written Opinion (5 pp.)
2		-Request for Amendment
3		under PCT Article 34 (4 pp.)
4		Substitute Sheets (16 pp.)
5		Appendix A (10 pp.)
6		Appendix B (1 p.)
7		Fax Cover (1 p.)
8		Receipt for Documents (2 pp.)
9		
10		

* falls bereits bekannt

** Der Eingang der angegebenen Unterlagen
wird bestätigt.
Enthält diese Spalte keine Eintragungen, so
wird lediglich bestätigt, daß eine Sendung
zu dem angegebenen Aktenzeichen einge-
gangen ist.

* if already known

** The receipt of the items indicated is
confirmed.
If this column does not contain any entries,
it is only confirmed that an item has been
received for the indicated file.

* si déjà connu

** La réception des pièces indiquées est
confirmée.
Faute de mention dans cette colonne, le
présent accusé de réception se rapporte à
une pièce quelconque envoyée sous la
référence indiquée.

ATTORNEY DOCKET NUMBER: 2003946-0024 (PITA/PCT)

IN THE EUROPEAN PATENT OFFICE
AS INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

Applicant: Eisai Co. Ltd.
Intl. Appln. No.: PCT/US03/00390
Intl. Filing Date: 8 January 2003
Priority: U.S.S.N. 60/346,711 filed 8 January 2002

COPY

For: EPONEMYCIN AND EPOXOMICIN ANALOGS AND USES
THEREOF

VIA FACSIMILE
011-49-89-2399-4465
CONFIRMATION BY
INTERNATIONAL COURIER

EUROPEAN PATENT OFFICE
D-80298 MUNICH
GERMANY
Authorized Officer: Examiner

Dear Sir/Madam:

REQUEST FOR AMENDMENT UNDER PCT ARTICLE 34

1. Applicant respectfully requests authorization from the International Preliminary Examining Authority for amendment under PCT Article 34 and respectfully submits that the replacement sheets, as submitted herewith, reflect claim amendments which do not introduce new matter. Applicant submits herewith replacement sheets number 3, 113, 114, 114a, 114b, 115-117, 125-128, 128a, 128b and 128c, to replace sheets number 3, 113-117 and 125-128, originally filed for this application.


2. In respect of each claim appearing in the international application based on replacement sheets 113, 114, 114a, 114b, 115-117, 125-128, 128a, 128b and 128c submitted herewith, and in accordance with PCT Section 205(b), the following claim(s) is/are:



- (i) Unchanged: Claims 2, 18, 37, 58, 62, 64-67 and 69-70 are unchanged;
- (ii) Replaced: Claims 1, 3-7, 10-14, 16-17, 38-55, 57, 60-61, 63 and 68 are replaced with new claims 1, 3-7, 10-17, 38-55, 57, 60-61, 63 and 68, respectively;
- (iii) Canceled: Claim 8-9, 15, 56, 59 are canceled.
- (iv) New: Claims 71-82 are newly added.


A marked-up copy of Claim Replacements highlighting the changes is provided

herewith as attached Appendix A. Deletions are represented in strikethrough, and additions are represented in underlining.

Applicant respectfully submits that no new matter is presented with these amendments. Specifically, claim 1, as amended, includes specific recitation of an epoxycarbonyl or boron-containing moiety for variable Q. Support for this amendment can be found throughout the specification and claims as originally filed. In addition, claim 1, as amended, includes the proviso that "when Q is a boron-containing moiety having the



- (i)  is not  where R^X is aryl or heteroaryl and R^Y is aryl, heterocyclyl, alylalkylcarbonyl or heterocyclylalkylcarbonyl;
- (ii) if D is N or CH, and (a) w is 0, or (b) w is 1 and G is $-\text{CH}(\text{OH})-\text{CH}_2-$, then neither occurrence of J nor E attached to D, nor the occurrence of A attached to D when y is 0, is a nitrogen atom substituted with hydrogen or a nitrogen protecting group typically employed in peptide synthesis;
- (iii) when w is other than 0, then the occurrence of G attached to D is not N or CH substituted with $-\text{NR}^X\text{R}^Y$ where R^X is hydrogen or alkyl and R^Y is hydrogen or a nitrogen protecting group typically employed in peptide synthesis; and/or






which specifically excludes from the claimed invention boron-containing compounds N-terminally substituted with a bicyclic fused-phenyl group that are specifically or generically disclosed in WO 96/132663, WO 02/096933, and WO 03/033506 (i.e., References 9, 11 and 12 listed in the Response to Written Opinion filed herewith).

Claim 3 has been amended to recite non-fused phenyl-containing compounds, which find support *inter alia* in original claim 1 (e.g., when A and J are each absent). Additional support can be found, for example in structures (VII), (VIII) and (IX) on pages 19, 20 and 23

of the specification, respectively. In addition, claim 3 includes the proviso that "when Q is a

boron-containing moiety having the structure: $\begin{array}{c} \text{---B---OR}^{Q1} \\ | \\ \text{OR}^{Q2} \end{array}$; then

- (i)  is not  where R^X is aryl or heteroaryl and R^Y is aryl, heterocyclyl, alylalkylcarbonyl or heterocyclalalkylcarbonyl;
- (ii) at least one of R_1 - R_4 is not H;
- (iii) if $-(E)_z-D-$ is $-CH_2-$ and one of R_1 - R_4 is MeO- or halogen, then the others are not each hydrogen;
- (iv) the occurrence of E attached to phenyl, or D when z is 0, is not N or CH substituted with $-NR^X R^Y$ where R^X is hydrogen or alkyl and R^Y is hydrogen or a nitrogen protecting group typically employed in peptide synthesis; and/or

- (v)  is not a nitrogen protecting group typically

employed in peptide synthesis" which specifically excludes from the claimed invention boron-containing compounds N-terminally substituted with a phenyl-containing group that are specifically or generically disclosed in the Gardner *et al.* reference, WO 96/132663, WO 02/096933 and WO 03/033506 (i.e., References 7, 9, 11 and 12 listed in the Response to Written Opinion filed herewith).

Claim 4 finds support *inter alia* in structure (VII^C) on page 19 of the specification.

Claims 5-7, 10-14, 16-17, 38-55, 57, 60-61, 63 and 68 have been amended to correct claim dependency.

New claims 71-77 find support, for example, in structures VIII^B-VIII^H and IX^B-IX^H on pages 20-25 of the specification.

New claim 78 finds support, *inter alia*, in original claim 15 (now canceled), and structures XI, XI^{A-H}, XII and XII^{A-H} on pages 27-33 of the specification.

Support for new claims 79-82 can be found, for example, in paragraphs [0125], [0126], [0122] and [0123] of the specification.

Applicant submits that the amendments to the claims, as described above and detailed herein, do not present new matter. Thus Applicant respectfully requests entry of these amendments, and consideration of these amendments in processing the application.

3. In respect of each paragraph appearing in the international application based on replacement sheet 3 submitted herewith, and in accordance with PCT Section 205(b), the following paragraph(s) is/are:

- (i) Unchanged: Paragraphs 6 and 7 are unchanged;
- (ii) Replaced: Paragraph 8 is replaced with new paragraph 8.


A marked-up copy of Paragraph Replacements highlighting the changes is provided herewith as attached Appendix B. Deletions are represented in strikethrough, and additions are represented in underlining.

Applicant respectfully submits that no new matter is presented with this amendment. Specifically, paragraph 8 has been amended to recite variable E, which was incorrectly typed as variable C in the specification, as originally filed.

4. The deletion of any claims and any other loss of claimed subject matter is being made solely to expedite prosecution of the subject matter now claimed, rather than in acquiescence to any positions taken by the Examiner. Applicant is submitting the present amendments without prejudice to the subsequent prosecution of claims to some or all of the subject matter which might be lost by virtue of this paper. Applicant additionally reserves the right to re-introduce the subject matter of any of the canceled claims, or subject matter which might be lost by virtue of amendments set forth in this paper, in the application, or divisional or continuing application thereof.

Applicant hereby requests that the ISA begin its examination upon this submission. Favorable action is respectfully requested.

Respectfully submitted,
CHOATE, HALL & STEWART



Nadège M. Lagneau, Ph.D.
Agent for Applicant

Dated 19 November 2003

PATENT GROUP
CHOATE, HALL & STEWART
Exchange Place
53 State Street
Boston, MA 02109
Tel: (617) 248-5150
Fax: (617) 248-4000

COPY

SUBSTITUTE SHEETS

are useful, for example, for the treatment of various disorders involving proteasome activity, including, for example, cancer, immune or inflammatory disorders, or HIV.

BRIEF DESCRIPTION OF THE DRAWING


[0006] Figure 1 is a graphical representation depicting comparative human breast carcinoma cell growth inhibition of Paclitaxel and exemplary inventive compounds.

DESCRIPTION OF CERTAIN PREFERRED EMBODIMENTS OF THE INVENTION

[0007] As discussed above, the demonstrated antitumor and anti-inflammatory activity of the natural products epoxomicin and eponemycin, as well as their ability to inhibit the 20S proteasome, has led to increased interest in the synthesis and biological investigation of these compounds and epoxyketones generally. In recognition of the need to further develop the therapeutic potential of this class of compounds, the present invention provides novel epoxomicin and eponemycin analogs. In certain embodiments, the compounds of the present invention can be used for the treatment of cancer and inflammatory disorders. More generally, in certain other embodiments, the compounds of the invention act as proteasome inhibitors.

[0008] 1) General Description of Compounds of the Invention

The compounds of the invention include compounds of the general formula (I) as further defined below:



and pharmaceutically acceptable derivatives thereof;


wherein each occurrence of A, J, E, D or G is independently absent, CR_A , CR_AR_B , $C=O$, O, S, NR_A , or N, wherein each occurrence of R_A and R_B is independently hydrogen, a protecting group, or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety;

A and J, J and D, D and E, and D and G are each independently linked by a single or double bond as valency permits;

CLAIMS

COPY

1. A compound having the structure (I):



and pharmaceutically acceptable derivatives thereof;

wherein each occurrence of A, J, E, D or G is independently CR_A , CR_AR_B , $C=O$, O , S , NR_A , or N , wherein each occurrence of R_A and R_B is independently hydrogen, a protecting group, or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety;


A and J, J and D, D and E, and D and G are each independently linked by a single or double bond as valency permits;

w, x, y and z are each independently 0, 1, 2, 3, 4, 5 or 6, but the sum of x, y and z is 2-6;


R_1 , R_2 , R_3 and R_4 are each independently hydrogen, halogen, $-CN$, $-OR_C$, $-SR_C$, $-NR_CR_D$, $-(C=O)R_C$ or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, wherein each occurrence of R_C and R_D is independently hydrogen, a protecting group, or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or R_C and R_D , taken together, form a heteroalicyclic or heteroaryl moiety; or wherein any two adjacent groups R_1 , R_2 , R_3 and R_4 , taken together, form an alicyclic or heteroalicyclic moiety, or an aryl or heteroaryl moiety;

R_5 and R_6 are each independently an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety; and

Q is an epoxycarbonyl moiety having the structure:




, or a boron-






containing moiety having the structure: OR^{Q2} ; wherein wherein R^{Q1} and R^{Q2} are each independently hydrogen, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or an oxygen protecting group, or R^{Q1} and R^{Q2} , taken together, form a

heteroalicyclic moiety; or, when Q is an epoxycarbonyl moiety, R^{Q1} may also be a prodrug moiety;


with the proviso that, when Q is a boron-containing moiety having the structure:



- (i)  is not  where R^X is aryl or heteroaryl and R^Y is aryl, heterocyclyl, alylalkylcarbonyl or heterocyclylalkylcarbonyl;
- (ii) if D is N or CH, and (a) w is 0, or (b) w is 1 and G is $-\text{CH}(\text{OH})-\text{CH}_2-$, then neither occurrence of J nor E attached to D, nor the occurrence of A attached to D when y is 0, is a nitrogen atom substituted with hydrogen or a nitrogen protecting group typically employed in peptide synthesis;
- (iii) when w is other than 0, then the occurrence of G attached to D is not N or CH substituted with $-\text{NR}^X\text{R}^Y$ where R^X is hydrogen or alkyl and R^Y is hydrogen or a nitrogen protecting group typically employed in peptide synthesis; and/or




2. The compound of claim 1, wherein the compound has the structure:



3. A compound not comprising more than two consecutive α -amino acid residues having the structure:

COPY



and pharmaceutically acceptable derivatives thereof;


wherein each occurrence of E and D is independently absent, CR_A , CR_AR_B , $C=O$, O , S , NR_A , or N , wherein each occurrence of R_A and R_B is independently hydrogen, a protecting group, or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety;

D and E are each independently linked by a single or double bond as valency permits; z is 0, 1, 2, 3, 4, 5 or 6;


R_1 , R_2 , R_3 and R_4 are each independently hydrogen, halogen, $-CN$, $-OR_C$, $-SR_C$, $-NR_CR_D$, $-(C=O)R_C$ or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, wherein each occurrence of R_C and R_D is independently hydrogen, a protecting group, or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or R_C and R_D , taken together, form a heteroalicyclic or heteroaryl moiety; or wherein any two adjacent groups R_1 , R_2 , R_3 and R_4 , taken together, form an alicyclic or heteroalicyclic moiety, or an aryl or heteroaryl moiety;

R_5 and R_6 are each independently an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety; and


Q is an epoxycarbonyl moiety having the structure:




, or a boron-

containing moiety having the structure: ; wherein wherein R^{Q1} and R^{Q2} are each independently hydrogen, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or an oxygen protecting group, or R^{Q1} and R^{Q2} , taken together, form a heteroalicyclic moiety; or, when Q is an epoxycarbonyl moiety, R^{Q1} may also be a prodrug moiety;


with the proviso that, when Q is a boron-containing moiety having the structure:



COPY




- (i) is not where R^X is aryl or heteroaryl and R^Y is aryl, heterocyclyl, alylalkylcarbonyl or heterocyclylalkylcarbonyl;
- (ii) at least one of R_1 - R_4 is not H;
- (iii) if $-(E)_z-D-$ is $-CH_2-$ and one of R_1 - R_4 is MeO- or halogen, then the others are not each hydrogen;
- (iv) the occurrence of E attached to phenyl, or D when z is 0, is not N or CH substituted with $-NR^X R^Y$ where R^X is hydrogen or alkyl and R^Y is hydrogen or a nitrogen protecting group typically employed in peptide synthesis; and/or




- (v) is not a nitrogen protecting group typically employed in peptide synthesis.

4. The compound of claim 3, wherein the compound has the structure:




5. The compound of claim 1, wherein R_5 is $-CH_2OR_{5a}$ and the compound has the structure:



COPY


wherein R_{5a} is hydrogen, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, an oxygen protecting group or a prodrug moiety.

6. The compound of claim 1, wherein R_5 is aryl or heteroaryl and the compound has the structure:




wherein AR is an aryl or heteroaryl moiety.

7. The compound of claim 1, wherein R_5 is $-\text{CH}_2\text{NR}_{5a}\text{R}_{5b}$ or heteroaryl and the compound has the structure:




wherein R_{5a} and R_{5b} are each independently hydrogen, a nitrogen protecting group, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or a prodrug, or R_{5a} and R_{5b} , taken together, form a heteroalicyclic or heteroaryl moiety.

10. The compound of claim 1, wherein R_5 is $-\text{CH}_2\text{OR}_{5a}$ and the compound has the structure:



wherein R_{5a} is hydrogen, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, an oxygen protecting group or a prodrug moiety.


11. The compound of claim 1, wherein R_5 is aryl or heteroaryl and the compound has the structure:



wherein AR is an aryl or heteroaryl moiety.

12. The compound of claim 1, wherein R_5 is $-\text{CH}_2\text{NR}_{5a}\text{R}_{5b}$ or heteroaryl and the compound has the structure:

COPY



wherein R_{5a} and R_{5b} are each independently hydrogen, a nitrogen protecting group, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or a prodrug, or R_{5a} and R_{5b}, taken together, form a heteroalicyclic or heteroaryl moiety.


13. The compound of any one of claims 1, 2, 5-7, and 10-12, wherein x, y and z are each 1, and A, J, D, and E are each CH₂.

14. The compound of any one of claims 1, 2, 5-7, and 10-12, wherein w, x and y are each 0.


16. The compound of any one of claims 1, 2, 5-7, and 10-12, wherein G is CH₂ and w is 0, 1, or 2.

17. The compound of any one of claims 1, 2, 5-7, and 10-12, wherein x, y and z are each 1; A, J, D, and E are each CH₂; G is CH₂ and w is 0, 1, or 2.

18. The compound of claim 1, wherein x, y and z are each 1; A, J, D, and E are each CH₂ and the compound has the structure:



COPY



wherein R^{Q3} is lower alkyl and p is an integer from 0-4.

38. The compound of any one of claims 1, 2, 5-7, and 10-12, wherein x , y and z are each 1 and A-J-D-E together represent $-\text{CH}_2-\text{CH}_2-\text{CH}_2-\text{CH}_2-$.

39. The compound of any one of claims 1, 2, 5-7, and 10-12, wherein x is 0, y and z are each 1, and J-D-E together represent $-\text{CH}_2-\text{CH}_2-\text{CH}_2-$.

40. The compound of any one of claims 1, 2, 5-7, and 10-12, wherein x is 0, z is 0 and E is absent and J-D together represents $-\text{CH}_2-\text{CH}_2-$.

41. The compound of any one of claims 1, 2, 5-7, and 10-12, wherein x , y and z are each 1 and A-J-D-E together represent $-\text{N}=\text{CH}-\text{CH}=\text{N}-$.

42. The compound of any one of claims 1, 2, 5-7, and 10-12, wherein x , y and z are each 1 and A-J-D-E together represent $-\text{CH}_2-\text{CH}_2-\text{CH}_2-\text{CH}_2-$ and G is CH_2 and w is 0, 1 or 2.

43. The compound of any one of claims 1-7, 10-12 and 18-23, wherein R_1 , R_2 , R_3 and R_4 are each independently hydrogen, halogen, protected or unprotected hydroxyl, protected or unprotected thiol, protected or unprotected amino, alkyl, alkoxy, thioalkyl, mono- or di-substituted alkylamino, or wherein any two adjacent groups R_1 , R_2 , R_3 or R_4 , taken together are a cycloalkyl, heterocycloalkyl, aryl or heteroaryl moiety,

whereby each of the alkyl moieties is independently substituted or unsubstituted, linear or branched, cyclic or acyclic, and each of the aryl and heteroaryl moieties is independently substituted or unsubstituted.

44. The compound of any one of claims 1-7, 10-12 and 18-23, wherein R_1 , R_2 , R_3 and R_4 are each independently hydrogen or lower alkoxy.

45. The compound of any one of claims 1-7, 10-12 and 18-23, wherein R_1 , R_2 , R_3 and R_4 are each independently hydrogen or methoxy.

46. The compound of any one of claims 1-7, 10-12 and 18-23, wherein R_1 , R_2 , R_3 and R_4 are each methoxy.

47. The compound of any one of claims 1-7, 10-12 and 18-23, wherein R_1 is hydrogen and each of R_2 , R_3 and R_4 are independently lower alkoxy.

48. The compound of any one of claims 1-7, 10-12 and 18-23, wherein R_1 is hydrogen and each of R_2 , R_3 and R_4 are methoxy.

49. The compound of any one of claims 1-4, wherein R_5 is alkyl, cycloalkyl, alkenyl, cycloalkenyl, alkynyl, cycloalkynyl, $C_{1-6}OR_{5a}$, $C_{1-6}NR_{5a}R_{5b}$, aryl or heteroaryl; wherein R_{5a} and R_{5b} are each independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, $-C(NH_2)=N(NO_2)$, $-C(=O)OR_{5c}$, $-C(=O)R_{5c}$ or a protecting group; wherein R_{5c} is hydrogen, alkyl, alkenyl, alkynyl, aryl or heteroaryl.

50. The compound of any one of claims 1-4, wherein R_5 is alkyl, cycloalkyl, $-CH_2OR_{5a}$, $-CH_2NR_{5a}R_{5b}$, $-CH_2$ aryl or $-CH_2$ heteroaryl; wherein R_{5a} and R_{5b} are each independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, $-C(NH_2)=N(NO_2)$, $-C(=O)OR_{5c}$, $-C(=O)R_{5c}$ or a protecting group; wherein R_{5c} is hydrogen, alkyl, alkenyl, alkynyl, aryl or heteroaryl.

51. The compound of any one of claims 1-4; wherein R_5 is alkyl, cycloalkyl, CH_2OR_{5a} , $CH_2NR_{5a}R_{5b}$ or substituted or unsubstituted $-CH_2Ph$; wherein R_{5a} and R_{5b} are each independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, $-C(NH_2)=N(NO_2)$, $-C(=O)OR_{5c}$, $-C(=O)R_{5c}$ or a protecting group; wherein R_{5c} is hydrogen, alkyl, alkenyl, alkynyl, aryl or heteroaryl.


52. The compound of any one of claims 1-4, wherein R_5 is $-CH_2OH$ or benzyl.

53. The compound of any one of claims 1-4, wherein R_6 is alkyl, cycloalkyl, alkenyl, cycloalkenyl, alkynyl, cycloalkynyl, aryl or heteroaryl.


54. The compound of any one of claims 1-4, wherein R_6 is lower alkyl or aryl.

55. The compound of any one of claims 1-4, wherein R_6 is $-\text{CH}_2\text{CH}(\text{CH}_3)_2$.

57. The compound of claim 1, 2, 3 or 4, wherein Q has the structure:




58. The compound of claim 57, wherein Q has the structure:




60. The compound of claim 1, 2, 3 or 4, wherein Q is $-\text{B}(\text{OH})_2$.

61. The compound of claim 1, 2, 3 or 4, wherein Q has the structure:




wherein $\text{R}^{\text{Q}3}$ is lower alkyl and p is an integer from 0-4.

62. The compound of claim 61, wherein Q has the structure:




63. A pharmaceutical composition comprising a compound of any one of claims 1-7, 10-12 and 18-35; and
a pharmaceutically acceptable carrier or diluent, and optionally further comprising an additional therapeutic agent.
64. The pharmaceutical of claim 63 wherein the compound is present in an amount effective to exert an antiproliferative and/or anticancer effect.
65. The pharmaceutical of claim 63 wherein the compound and the additional therapeutic agent are present in an amount effective to exert an antiproliferative and/or anticancer effect.
66. The pharmaceutical of claim 63 wherein the compound is present in an amount effective to exert an anti-inflammatory effect.
67. The pharmaceutical of claim 63 wherein the compound and the additional therapeutic agent are present in an amount effective to exert an anti-inflammatory effect.
68. A method for treating cancer comprising:
administering to a subject in need thereof a therapeutically effective amount of a compound of any one of claims 1-7, 10-12 and 18-35; and
optionally further administering an additional therapeutic agent.
69. The method of claim 68, wherein the method is used to treat prostate, breast, colon, bladder, cervical, skin, testicular, kidney, ovarian, stomach, brain, liver, pancreatic or esophageal cancer or lymphoma, leukemia, or multiple myeloma.
70. The method of claim 68, wherein the cancer is a solid tumor.

71. The compound of claim 3 having the structure:




wherein R_{5a} is hydrogen, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, an oxygen protecting group or a prodrug moiety.

72. The compound of claim 3 having the structure:



wherein AR is an aryl or heteroaryl moiety.


73. The compound of claim 3 having the structure:




wherein R_{5a} and R_{5b} are each independently hydrogen, a nitrogen protecting group, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or a prodrug, or R_{5a} and R_{5b} , taken together, form a heteroalicyclic or heteroaryl moiety.

74. The compound of claim 3 having the structure:

COPY




75. The compound of claim 3 having the structure:




wherein R_{5a} is hydrogen, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, an oxygen protecting group or a prodrug moiety.

76. The compound of claim 3 having the structure:



wherein AR is an aryl or heteroaryl moiety.

77. The compound of claim 3 having the structure:




wherein R_{5a} and R_{5b} are each independently hydrogen, a nitrogen protecting group, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or a prodrug, or R_{5a} and R_{5b} , taken together, form a heteroalicyclic or heteroaryl moiety.

78. The compound of any one of claims 2, 3 and 71-77, wherein D is absent and z is 0.


79. The compound of any one of claims 2, 3 and 71-77, wherein Q is $-B(OH)_2$.

80. The compound of any one of claims 2, 3 and 71-77, wherein Q is a moiety having the structure:




wherein R^{Q3} is lower alkyl and p is an integer from 0-4.

81. The compound of any one of claims 2, 3 and 71-77, wherein Q is a moiety having the structure:



82. The compound of claim 81, wherein Q is a moiety having the structure:




COPY

- APPENDIX A -

VERSION WITH MARKINGS TO SHOW CHANGES MADE

CLAIM REPLACEMENTS

1. A compound having the structure (I):



(I)

and pharmaceutically acceptable derivatives thereof;

wherein each occurrence of ~~A, J, C, D or G~~ A, J, E, D or G is independently ~~absent~~, CR_A , CR_AR_B , $C=O$, O , S , NR_A , or N , wherein each occurrence of R_A and R_B is independently hydrogen, a protecting group, or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety;

A and J , J and D , D and E , and D and G are each independently linked by a single or double bond as valency permits;


w , x , y and z are each independently 0, 1, 2, 3, 4, 5 or 6, but the sum of x , y and z is ~~0-6~~ 2-6;

R_1 , R_2 , R_3 and R_4 are each independently hydrogen, halogen, $-CN$, $-OR_C$, $-SR_C$, $-NR_CR_D$, $-(C=O)R_C$ or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, wherein each occurrence of R_C and R_D is independently hydrogen, a protecting group, or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or R_C and R_D , taken together, form a heteroalicyclic or heteroaryl moiety; or wherein any two adjacent groups R_1 , R_2 , R_3 and R_4 , taken together, form an alicyclic or heteroalicyclic moiety, or an aryl or heteroaryl moiety;


R_5 and R_6 are each independently an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety; and

~~Q is an O-containing heteroaliphatic or heteroalicyclic moiety~~

COPY




Q is an epoxycarbonyl moiety having the structure: _____, or a boron-



containing moiety having the structure: _____; wherein wherein R^{Q1} and R^{Q2} are each independently hydrogen, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or an oxygen protecting group, or R^{Q1} and R^{Q2} , taken together, form a heteroalicyclic moiety; or, when Q is an epoxycarbonyl moiety, R^{Q1} may also be a prodrug moiety;

with the proviso that, when Q is a boron-containing moiety having the structure:




- (i) _____ is not where R^X is aryl or heteroaryl and R^Y is aryl, heterocyclyl, alylalkylcarbonyl or heterocyclylalkylcarbonyl;
- (ii) if D is N or CH, and (a) w is 0, or (b) w is 1 and G is $-\text{CH}(\text{OH})-\text{CH}_2-$, then neither occurrence of J nor E attached to D, nor the occurrence of A attached to D when y is 0, is a nitrogen atom substituted with hydrogen or a nitrogen protecting group typically employed in peptide synthesis;
- (iii) when w is other than 0, then the occurrence of G attached to D is not N or CH substituted with $-\text{NR}^X\text{R}^Y$ where R^X is hydrogen or alkyl and R^Y is hydrogen or a nitrogen protecting group typically employed in peptide synthesis; and/or


- (iv) _____ is not ; wherein Z^1 is O or S.

3. The A compound not comprising more than two consecutive α -amino acid residues of claim 1, wherein Q is an epoxycarbonyl moiety and the compound has having the structure:

COPY



wherein R^{Q1} is hydrogen, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, an oxygen protecting group or a prodrug moiety.



and pharmaceutically acceptable derivatives thereof;


wherein each occurrence of E and D is independently absent, CR_A , CR_AR_B , $C=O$, O , S , NR_A , or N , wherein each occurrence of R_A and R_B is independently hydrogen, a protecting group, or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety;


D and E are each independently linked by a single or double bond as valency permits;

z is 0, 1, 2, 3, 4, 5 or 6;

R_1 , R_2 , R_3 and R_4 are each independently hydrogen, halogen, $-CN$, $-OR_C$, $-SR_C$, $-NR_CR_D$, $-(C=O)R_C$ or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, wherein each occurrence of R_C and R_D is independently hydrogen, a protecting group, or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or R_C and R_D , taken together, form a heteroalicyclic or heteroaryl moiety; or wherein any two adjacent groups R_1 , R_2 , R_3 and R_4 , taken together, form an alicyclic or heteroalicyclic moiety, or an aryl or heteroaryl moiety;

R_5 and R_6 are each independently an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety; and


Q is an epoxycarbonyl moiety having the structure: , or a boron-



containing moiety having the structure: ; wherein wherein R^{Q1} and R^{Q2} are each

COPY

independently hydrogen, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or an oxygen protecting group, or R^{Q1} and R^{Q2} , taken together, form a heteroalicyclic moiety; or, when Q is an epoxy carbonyl moiety, R^{Q1} may also be a prodrug moiety;

with the proviso that, when Q is a boron-containing moiety having the structure:




(i)  is not  where R^X is aryl or heteroaryl and R^Y is aryl, heterocyclyl, alkylcarbonyl or heterocyclalkylcarbonyl;


(ii) at least one of R_1 - R_4 is not H;

(iii) if $-(E)_z-D-$ is $-CH_2-$ and one of R_1 - R_4 is MeO- or halogen, then the others are not each hydrogen;


(iv) the occurrence of E attached to phenyl, or D when z is 0, is not N or CH substituted with $-NR^X R^Y$ where R^X is hydrogen or alkyl and R^Y is hydrogen or a nitrogen protecting group typically employed in peptide synthesis; and/or

(v)  is not a nitrogen protecting group typically employed in peptide synthesis.


4. The compound of claim 3, wherein the compound has the structure:



COPY




5. The compound of ~~claim 3~~ claim 1, wherein R_5 is $-\text{CH}_2\text{OR}_{5a}$ and the compound has the structure:




wherein R_{5a} is hydrogen, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, an oxygen protecting group or a prodrug moiety.

6. The compound of ~~claim 3~~ claim 1, wherein R_5 is aryl or heteroaryl and the compound has the structure:




wherein AR is an aryl or heteroaryl moiety.

7. The compound of ~~claim 3~~ claim 1, wherein R_5 is $-\text{CH}_2\text{NR}_{5a}\text{R}_{5b}$ or heteroaryl and the compound has the structure:




wherein R_{5a} and R_{5b} are each independently hydrogen, a nitrogen protecting group, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or a prodrug, or R_{5a} and R_{5b}, taken together, form a heteroalicyclic or heteroaryl moiety.

10. The compound of ~~claim 3~~ claim 1, wherein R₅ is -CH₂OR_{5a} and the compound has the structure:




wherein R_{5a} is hydrogen, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, an oxygen protecting group or a prodrug moiety.

11. The compound of ~~claim 8~~ claim 1, wherein R₅ is aryl or heteroaryl and the compound has the structure:



wherein AR is an aryl or heteroaryl moiety.

12. The compound of ~~claim 8~~ claim 1, wherein R₅ is -CH₂NR_{5a}R_{5b} or heteroaryl and the compound has the structure:



COPY

wherein R_{5a} and R_{5b} are each independently hydrogen, a nitrogen protecting group, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or a prodrug, or R_{5a} and R_{5b}, taken together, form a heteroalicyclic or heteroaryl moiety.

13. The compound of any one of ~~claims 1-12~~ claims 1, 2, 5-7, and 10-12, wherein x, y and z are each 1, and A, J, D, and E are each CH₂.

14. The compound of any one of ~~claims 1-12~~ claims 1, 2, 5-7, and 10-12, wherein w, x and y are each 0.

16. The compound of any one of ~~claims 1-12~~ claims 1, 2, 5-7, and 10-12, wherein G is CH₂ and w is 0, 1, or 2.

17. The compound of any one of ~~claims 1-12~~ claims 1, 2, 5-7, and 10-12, wherein x, y and z are each 1; A, J, D, and E are each CH₂; G is CH₂ and w is 0, 1, or 2.

38. The compound of any one of ~~claims 1-12~~ claims 1, 2, 5-7, and 10-12, wherein x, y and z are each 1 and A-J-D-E together represent -CH₂-CH₂-CH₂-CH₂-.

39. The compound of any one of ~~claims 1-12~~ claims 1, 2, 5-7, and 10-12, ~~wherein x is 0 and A is absent and y and z are each 1~~ wherein x is 0, y and z are each 1, and J-D-E together represent -CH₂-CH₂-CH₂-.

40. The compound of any one of ~~claims 1-12~~ claims 1, 2, 5-7, and 10-12, wherein x is 0 ~~and A is absent~~, z is 0 and E is absent and J-D together represents -CH₂-CH₂-.

COPY

41. The compound of any one of ~~claims 1-12~~ claims 1, 2, 5-7, and 10-12, wherein x, y and z are each 1 and A-J-D-E together represent $-N=CH-CH=N-$.
42. The compound of any one of ~~claims 1-12~~ claims 1, 2, 5-7, and 10-12, wherein x, y and z are each 1 and A-J-D-E together represent $-CH_2-CH_2-CH_2-CH_2-$ and G is CH_2 and w is 0, 1 or 2.
43. The compound of any one of ~~claims 1-12~~ claims 1-7, 10-12 and 18-23, wherein R_1 , R_2 , R_3 and R_4 are each independently hydrogen, halogen, protected or unprotected hydroxyl, protected or unprotected thiol, protected or unprotected amino, alkyl, alkoxy, thioalkyl, mono-or di-substituted alkylamino, or wherein any two adjacent groups R_1 , R_2 , R_3 or R_4 , taken together are a cycloalkyl, heterocycloalkyl, aryl or heteroaryl moiety, whereby each of the alkyl moieties is independently substituted or unsubstituted, linear or branched, cyclic or acyclic, and each of the aryl and heteroaryl moieties is independently substituted or unsubstituted.
44. The compound of any one of ~~claims 1-12~~ claims 1-7, 10-12 and 18-23, wherein R_1 , R_2 , R_3 and R_4 are each independently hydrogen or lower alkoxy.
45. The compound of any one of ~~claims 1-12~~ claims 1-7, 10-12 and 18-23, wherein R_1 , R_2 , R_3 and R_4 are each independently hydrogen or methoxy.
46. The compound of any one of ~~claims 1-12~~ claims 1-7, 10-12 and 18-23, wherein R_1 , R_2 , R_3 and R_4 are each methoxy.
47. The compound of any one of ~~claims 1-12~~ claims 1-7, 10-12 and 18-23, wherein R_1 is hydrogen and each of R_2 , R_3 and R_4 are independently lower alkoxy.
48. The compound of any one of ~~claims 1-12~~ claims 1-7, 10-12 and 18-23, wherein R_1 is hydrogen and each of R_2 , R_3 and R_4 are methoxy.
49. The compound of any one of claims 1-4 and ~~8-9~~, wherein R_5 is alkyl, cycloalkyl, alkenyl, cycloalkenyl, alkynyl, cycloalkynyl, $C_{1-6}OR_{5a}$, $C_{1-6}NR_{5a}R_{5b}$, aryl or heteroaryl;

wherein R_{5a} and R_{5b} are each independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, $-C(NH_2)=N(NO_2)$, $-C(=O)OR_{5c}$, $-C(=O)R_{5c}$ or a protecting group; wherein R_{5c} is hydrogen, alkyl, alkenyl, alkynyl, aryl or heteroaryl.

50. The compound of any one of claims 1-4 and 8-9, wherein R_5 is alkyl, cycloalkyl, $-CH_2OR_{5a}$, $-CH_2NR_{5a}R_{5b}$, $-CH_2$ aryl or $-CH_2$ heteroaryl; wherein R_{5a} and R_{5b} are each independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, $-C(NH_2)=N(NO_2)$, $-C(=O)OR_{5c}$, $-C(=O)R_{5c}$ or a protecting group; wherein R_{5c} is hydrogen, alkyl, alkenyl, alkynyl, aryl or heteroaryl.

51. The compound of any one of claims 1-4 and 8-9, wherein R_5 is alkyl, cycloalkyl, CH_2OR_{5a} , $CH_2NR_{5a}R_{5b}$ or substituted or unsubstituted $-CH_2Ph$; wherein R_{5a} and R_{5b} are each independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, $-C(NH_2)=N(NO_2)$, $-C(=O)OR_{5c}$, $-C(=O)R_{5c}$ or a protecting group; wherein R_{5c} is hydrogen, alkyl, alkenyl, alkynyl, aryl or heteroaryl.


52. The compound of any one of claims 1-4 and 8-9, wherein R_5 is $-CH_2OH$ or benzyl.

53. The compound of any one of claims 1-4 and 8-9, wherein R_6 is alkyl, cycloalkyl, alkenyl, cycloalkenyl, alkynyl, cycloalkynyl, aryl or heteroaryl.

54. The compound of any one of claims 1-4 and 8-9, wherein R_6 is lower alkyl or aryl.


55. The compound of any one of claims 1-4 and 8-9, wherein R_6 is $-CH_2CH(CH_3)_2$.

57. The compound of ~~claim 56~~ claim 1, 2, 3 or 4, wherein Q has the structure:



60. The compound of ~~claim 59~~ claim 1, 2, 3 or 4, wherein Q is $-B(OH)_2$.

61. The compound of ~~claim 59~~ claim 1, 2, 3 or 4, wherein Q has the structure:



COPY


wherein R^{Q3} is lower alkyl and p is an integer from 0-4.

63. A pharmaceutical composition comprising a compound of any one of ~~claims 1-12~~ claims 1-7, 10-12 and 18-35; and
a pharmaceutically acceptable carrier or diluent, and optionally further comprising an additional therapeutic agent.
68. A method for treating cancer comprising:
administering to a subject in need thereof a therapeutically effective amount of a compound of any one of ~~claims 1-12~~ claims 1-7, 10-12 and 18-35; and
optionally further administering an additional therapeutic agent.

COPY

[0008] 1) *General Description of Compounds of the Invention*

The compounds of the invention include compounds of the general formula (I) as further defined below:



and pharmaceutically acceptable derivatives thereof;

wherein each occurrence of ~~A, J, C, D or G~~ A, J, E, D or G is independently absent, CR_A , CR_AR_B , $C=O$, O , S , NR_A , or N , wherein each occurrence of R_A and R_B is independently hydrogen, a protecting group, or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety;

A and J , J and D , D and E , and D and G are each independently linked by a single or double bond as valency permits;

w , x , y and z are each independently 0, 1, 2, 3, 4, 5 or 6, but the sum of x , y and z is 0-6;

R_1 , R_2 , R_3 and R_4 are each independently hydrogen, halogen, $-CN$, $-OR_C$, $-SR_C$, $-NR_CR_D$, $-(C=O)R_C$ or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, wherein each occurrence of R_C and R_D is independently hydrogen, a protecting group, or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or R_C and R_D , taken together, form a heteroalicyclic or heteroaryl moiety; or wherein any two adjacent groups R_1 , R_2 , R_3 and R_4 , taken together, form an alicyclic or heteroalicyclic moiety, or an aryl or heteroaryl moiety;

R_5 and R_6 are each independently an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety; and

Q is an O-containing heteroaliphatic or heteroalicyclic moiety.

10/501120

Rec'd PGT/PTO 08 JUL 2004

APPENDIX B

PCT



INTERNATIONAL PRELIMINARY EXAMINATION REPORT (PCT Article 36 and Rule 70)

Applicant's or agent's file reference 2003946-0024(PITA)	FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/PEA/416)	
International application No. PCT/US 03/00390	International filing date (day/month/year) 08.01.2003	Priority date (day/month/year) 08.01.2002
International Patent Classification (IPC) or both national classification and IPC C07D303/36		
Applicant EISAI CO. LTD. et al.		

1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.
2. This REPORT consists of a total of 7 sheets, including this cover sheet.
 - ☒ This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).

These annexes consist of a total of 15 sheets.

3. This report contains indications relating to the following items:
 - I ☒ Basis of the opinion
 - II ☐ Priority
 - III ☒ Non-establishment of opinion with regard to novelty, inventive step and industrial applicability
 - IV ☐ Lack of unity of invention
 - V ☒ Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
 - VI ☐ Certain documents cited
 - VII ☐ Certain defects in the international application
 - VIII ☐ Certain observations on the international application

Date of submission of the demand 25.07.2003	Date of completion of this report 05.02.2004
Name and mailing address of the international preliminary examining authority:  European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465	Authorized Officer Ousset, J-B Telephone No. +49 89 2399-8271 

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT**

International application No. PCT/US 03/00390

I. Basis of the report

1. With regard to the **elements** of the international application (*Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)*):

Description, Pages

1-112 as originally filed
3a received on 21.11.2003 with letter of 19.11.2003

Claims, Numbers

1-7, 10-14, 16-18, 38-55, 57, 58, 60-82 received on 21.11.2003 with letter of 19.11.2003

Drawings, Sheets

1/1 as originally filed

2. With regard to the **language**, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.

These elements were available or furnished to this Authority in the following language: , which is:

- ☐ the language of a translation furnished for the purposes of the international search (under Rule 23.1(b)).
☐ the language of publication of the international application (under Rule 48.3(b)).
☐ the language of a translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/or 55.3).

3. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:

- ☐ contained in the international application in written form.
☐ filed together with the international application in computer readable form.
☐ furnished subsequently to this Authority in written form.
☐ furnished subsequently to this Authority in computer readable form.
☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.

4. The amendments have resulted in the cancellation of:

- ☐ the description, pages:
☐ the claims, Nos.:
☐ the drawings, sheets:

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT**

International application No. PCT/US 03/00390

5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)).

(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)

6. Additional observations, if necessary:

III. Non-establishment of opinion with regard to novelty, inventive step and industrial applicability

1. The questions whether the claimed invention appears to be novel, to involve an inventive step (to be non-obvious), or to be industrially applicable have not been examined in respect of:

☐ the entire international application,

☒ claims Nos. 68-70

because:

☒ the said international application, or the said claims Nos. 68-70 relate to the following subject matter which does not require an international preliminary examination (specify):

see separate sheet

☐ the description, claims or drawings (*indicate particular elements below*) or said claims Nos. are so unclear that no meaningful opinion could be formed (*specify*):

☐ the claims, or said claims Nos. are so inadequately supported by the description that no meaningful opinion could be formed.

☐ no international search report has been established for the said claims Nos.

2. A meaningful international preliminary examination cannot be carried out due to the failure of the nucleotide and/or amino acid sequence listing to comply with the standard provided for in Annex C of the Administrative Instructions:

☐ the written form has not been furnished or does not comply with the Standard.

☐ the computer readable form has not been furnished or does not comply with the Standard.

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)	Yes: Claims	1-67
	No: Claims	
Inventive step (IS)	Yes: Claims	
	No: Claims	1-67
Industrial applicability (IA)	Yes: Claims	1-67
	No: Claims	

2. Citations and explanations

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT**

International application No. PCT/US 03/00390

see separate sheet

SECTION III

1). Claims 68-70 relate to the treatment of human and/or animal bodies. According to Rule 67(1)(iv) an examination is not required for such claims.

SECTION V

2). Relevant prior art is represented by:

- D1: ELOFSSON M ET AL: 'TOWARDS SUBUNIT-SPECIFIC PROTEASOME INHIBITORS: SYNTHESIS AND EVALUATION OF PEPTIDE ALPHA',BETA'-EPOXYKETONES' CHEMISTRY AND BIOLOGY, CURRENT BIOLOGY, LONDON, GB, vol. 6, no. 11, 1995, pages 811-822, XP001002198 ISSN: 1074-5521 cited in the application
- D2: SIN N ET AL: 'Total synthesis of the potent proteasome inhibitor epoxomicin: a useful tool for understanding proteasome biology' BIOORGANIC & MEDICINAL CHEMISTRY LETTERS, OXFORD, GB, vol. 9, no. 15, 2 August 1999 (1999-08-02), pages 2283-2288, XP004174176 ISSN: 0960-894X cited in the application
- D3: ADAMS JULIAN ET AL: 'Proteasome inhibitors: A novel class of potent and effective antitumor agents' CANCER RESEARCH, AMERICAN ASSOCIATION FOR CANCER RESEARCH, BALTIMORE, MD, US, vol. 59, no. 11, 1 June 1999 (1999-06-01), pages 2615-2622, XP002168152 ISSN: 0008-5472
- D4: IQBAL M ET AL: 'POTENT ALPHA-KETOCARBONYL AND BORONIC ESTER DERIVED INHIBITORS OF PROTEASOME' BIOORGANIC & MEDICINAL CHEMISTRY, ELSEVIER SCIENCE LTD, GB, vol. 6, no. 3, 1996, pages 287-290, XP000791145 ISSN: 0968-0896
- D5: MOMOSE, ISAO ET AL: 'Tyropeptins A and B, new proteasome inhibitors produced by Kitasatospora sp. MK993-dF2. I. Taxonomy, isolation, physico-chemical properties and biological activities' JOURNAL OF ANTIBIOTICS (2001), 54(12), 997-1003 , XP002252184
- D6: HARDING, CLIFFORD V. ET AL: 'Novel dipeptide aldehydes are proteasome inhibitors and block the MHC-I antigen-processing pathway' JOURNAL OF IMMUNOLOGY (1995), 155(4), 1767-75 , XP002252185
- D7: GARDNER, ROBERT C. ET AL: 'Characterization of peptidyl boronic acid

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/US03/00390

inhibitors of mammalian 20 S and 26 S proteasomes and their inhibition of proteasomes in cultured cells' BIOCHEMICAL JOURNAL (2000), 346(2), 447-454 , XP002252186

D8: SUN, JIAZHI ET AL: 'CEP1612, a dipeptidyl proteasome inhibitor, induces p21WAF1 and p27KIP1 expression and apoptosis and inhibits the growth of the human lung adenocarcinoma A-549 in nude mice' CANCER RESEARCH (2001), 61(4), 1280-1284 , XP002252187

D9: WO 96 13266 A (PROSCRIPT, INC.) 9 May 1996 (1996-05-09)

D10: WO 95 24914 A (MYCOGENICS, INC.) 21 September 1995 (1995-09-21)

D11: WO 02 096933 A (NOVARTIS AG) 5 December 2002 (2002-12-05)

D12: WO 03 033506 A (KYORIN PHARMACEUTICALS, CO., LTD.) 24 April 2003 (2003-04-24)

3). Although the amendments carried out by the applicant seem to incorporate now subject-matter which was not disclosed in the application as originally filed, an opinion with regard to novelty and inventive step will be given as if the current claims were supported by the description (see for example, replacement for the sum of x, y and z is 0-6 by 2-6; there is apparently no fall-back position for such values).

4). In view of the applicant's analysis provided with his letter of 19.11.2003, it appears that the set of claims is novel vis-à-vis the cited prior art.

5). The problem underlying the current application appears to be the provision of further derivatives which can inhibit proteasomes (see page 2, last line).

An inventive step cannot be acknowledged in view of D9, since this document clearly discloses compounds having the same properties as those of the current application (see page 4, lines 11-12).

The applicant has clearly disclaimed some compounds of this document (see letter of 19.11.2003). Hence, if a disclaimer can render a claim novel, it cannot be used to render it inventive.

Moreover, the wording of the claims contains unlimited terms like "optionally substituted", "aryl", "heterocyclyl", "alicyclic", "aliphatic", "protecting group", "prodrug" and derivatives thereof which lead to an infinite number of compounds which cannot

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/US03/00390

inherently represent a solution to the given problem.

An inventive step is not acknowledged.

6). There is no objection with regard to industrial applicability.

are useful, for example, for the treatment of various disorders involving proteasome activity, including, for example, cancer, immune or inflammatory disorders, or HIV.

BRIEF DESCRIPTION OF THE DRAWING


[0006] Figure 1 is a graphical representation depicting comparative human breast carcinoma cell growth inhibition of Paclitaxel and exemplary inventive compounds.

DESCRIPTION OF CERTAIN PREFERRED EMBODIMENTS OF THE INVENTION

[0007] As discussed above, the demonstrated antitumor and anti-inflammatory activity of the natural products epoxomicin and eponemycin, as well as their ability to inhibit the 20S proteasome, has led to increased interest in the synthesis and biological investigation of these compounds and epoxyketones generally. In recognition of the need to further develop the therapeutic potential of this class of compounds, the present invention provides novel epoxomicin and eponemycin analogs. In certain embodiments, the compounds of the present invention can be used for the treatment of cancer and inflammatory disorders. More generally, in certain other embodiments, the compounds of the invention act as proteasome inhibitors.

[0008] 1) General Description of Compounds of the Invention

The compounds of the invention include compounds of the general formula (I) as further defined below:




and pharmaceutically acceptable derivatives thereof;

wherein each occurrence of A, J, E, D or G is independently absent, CR_A , CR_AR_B , $C=O$, O, S, NR_A , or N, wherein each occurrence of R_A and R_B is independently hydrogen, a protecting group, or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety;

A and J, J and D, D and E, and D and G are each independently linked by a single or double bond as valency permits;

CLAIMS

1. A compound having the structure (I):



(I)

and pharmaceutically acceptable derivatives thereof;


wherein each occurrence of A, J, E, D or G is independently CR_A, CR_AR_B, C=O, O, S, NR_A, or N, wherein each occurrence of R_A and R_B is independently hydrogen, a protecting group, or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety;


A and J, J and D, D and E, and D and G are each independently linked by a single or double bond as valency permits;

w, x, y and z are each independently 0, 1, 2, 3, 4, 5 or 6, but the sum of x, y and z is 2-6;

R₁, R₂, R₃ and R₄ are each independently hydrogen, halogen, -CN, -OR_C, -SR_C, -NR_CR_D, -(C=O)R_C or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, wherein each occurrence of R_C and R_D is independently hydrogen, a protecting group, or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or R_C and R_D, taken together, form a heteroalicyclic or heteroaryl moiety; or wherein any two adjacent groups R₁, R₂, R₃ and R₄, taken together, form an alicyclic or heteroalicyclic moiety, or an aryl or heteroaryl moiety;


R₅ and R₆ are each independently an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety; and



Q is an epoxycarbonyl moiety having the structure: , or a boron-


containing moiety having the structure: ; wherein wherein R^{Q1} and R^{Q2} are each independently hydrogen, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or an oxygen protecting group, or R^{Q1} and R^{Q2}, taken together, form a

heteroalicyclic moiety; or, when Q is an epoxyxcarbonyl moiety, R^{Q1} may also be a prodrug moiety;


with the proviso that, when Q is a boron-containing moiety having the structure:




- (i)  is not  where R^X is aryl or heteroaryl and R^Y is aryl, heterocyclyl, alylalkylcarbonyl or heterocyclylalkylcarbonyl;
- (ii) if D is N or CH, and (a) w is 0, or (b) w is 1 and G is -CH(OH)-CH₂-, then neither occurrence of J nor E attached to D, nor the occurrence of A attached to D when y is 0, is a nitrogen atom substituted with hydrogen or a nitrogen protecting group typically employed in peptide synthesis;
- (iii) when w is other than 0, then the occurrence of G attached to D is not N or CH substituted with -NR^xR^y where R^x is hydrogen or alkyl and R^y is hydrogen or a nitrogen protecting group typically employed in peptide synthesis; and/or



2. The compound of claim 1, wherein the compound has the structure:



3. A compound not comprising more than two consecutive α -amino acid residues having the structure:




and pharmaceutically acceptable derivatives thereof;


wherein each occurrence of E and D is independently absent, CR_A , CR_AR_B , $C=O$, O , S , NR_A , or N , wherein each occurrence of R_A and R_B is independently hydrogen, a protecting group, or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety;

D and E are each independently linked by a single or double bond as valency permits;
z is 0, 1, 2, 3, 4, 5 or 6;


R_1 , R_2 , R_3 and R_4 are each independently hydrogen, halogen, $-CN$, $-OR_C$, $-SR_C$, $-NR_CR_D$, $-(C=O)R_C$ or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, wherein each occurrence of R_C and R_D is independently hydrogen, a protecting group, or an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or R_C and R_D , taken together, form a heteroalicyclic or heteroaryl moiety; or wherein any two adjacent groups R_1 , R_2 , R_3 and R_4 , taken together, form an alicyclic or heteroalicyclic moiety, or an aryl or heteroaryl moiety;



R_5 and R_6 are each independently an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety; and


Q is an epoxycarbonyl moiety having the structure: , or a boron-

containing moiety having the structure: ; wherein wherein R^{Q1} and R^{Q2} are each independently hydrogen, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or an oxygen protecting group, or R^{Q1} and R^{Q2} , taken together, form a heteroalicyclic moiety; or, when Q is an epoxycarbonyl moiety, R^{Q1} may also be a prodrug moiety;


with the proviso that, when Q is a boron-containing moiety having the structure:




- (i)  is not  where R^X is aryl or heteroaryl and R^Y is aryl, heterocyclyl, alylalkylcarbonyl or heterocyclylalkylcarbonyl;
- (ii) at least one of R_1 - R_4 is not H;
- (iii) if $-(E)_z-D-$ is $-CH_2-$ and one of R_1 - R_4 is MeO- or halogen, then the others are not each hydrogen;
- (iv) the occurrence of E attached to phenyl, or D when z is 0, is not N or CH substituted with $-NR^X R^Y$ where R^X is hydrogen or alkyl and R^Y is hydrogen or a nitrogen protecting group typically employed in peptide synthesis; and/or

- (v)  is not a nitrogen protecting group typically employed in peptide synthesis.

4. The compound of claim 3, wherein the compound has the structure:




5. The compound of claim 1, wherein R_5 is $-CH_2OR_{5a}$ and the compound has the structure:




wherein R_{5a} is hydrogen, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, an oxygen protecting group or a prodrug moiety.

6. The compound of claim 1, wherein R_5 is aryl or heteroaryl and the compound has the structure:




wherein AR is an aryl or heteroaryl moiety.

7. The compound of claim 1, wherein R_5 is $-\text{CH}_2\text{NR}_{5a}\text{R}_{5b}$ or heteroaryl and the compound has the structure:




wherein R_{5a} and R_{5b} are each independently hydrogen, a nitrogen protecting group, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or a prodrug, or R_{5a} and R_{5b} , taken together, form a heteroalicyclic or heteroaryl moiety.

10. The compound of claim 1, wherein R_{5a} is $-\text{CH}_2\text{OR}_{5a}$ and the compound has the structure:




wherein R_{5a} is hydrogen, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, an oxygen protecting group or a prodrug moiety.

11. The compound of claim 1, wherein R_5 is aryl or heteroaryl and the compound has the structure:



wherein AR is an aryl or heteroaryl moiety.

12. The compound of claim 1, wherein R_5 is $-\text{CH}_2\text{NR}_{5a}\text{R}_{5b}$ or heteroaryl and the compound has the structure:



wherein R_{5a} and R_{5b} are each independently hydrogen, a nitrogen protecting group, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or a prodrug, or R_{5a} and R_{5b} , taken together, form a heteroalicyclic or heteroaryl moiety.


13. The compound of any one of claims 1, 2, 5-7, and 10-12, wherein x, y and z are each 1, and $A, J, D,$ and E are each CH_2 .


14. The compound of any one of claims 1, 2, 5-7, and 10-12, wherein w, x and y are each 0.

16. The compound of any one of claims 1, 2, 5-7, and 10-12, wherein G is CH_2 and w is 0, 1, or 2.

17. The compound of any one of claims 1, 2, 5-7, and 10-12, wherein x, y and z are each 1; $A, J, D,$ and E are each CH_2 ; G is CH_2 and w is 0, 1, or 2.

18. The compound of claim 1, wherein x, y and z are each 1; $A, J, D,$ and E are each CH_2 and the compound has the structure:





wherein R^{Q3} is lower alkyl and p is an integer from 0-4.

38. The compound of any one of claims 1, 2, 5-7, and 10-12, wherein x , y and z are each 1 and A-J-D-E together represent $-\text{CH}_2-\text{CH}_2-\text{CH}_2-\text{CH}_2-$.
39. The compound of any one of claims 1, 2, 5-7, and 10-12, wherein x is 0, y and z are each 1, and J-D-E together represent $-\text{CH}_2-\text{CH}_2-\text{CH}_2-$.
40. The compound of any one of claims 1, 2, 5-7, and 10-12, wherein x is 0, z is 0 and E is absent and J-D together represents $-\text{CH}_2-\text{CH}_2-$.
41. The compound of any one of claims 1, 2, 5-7, and 10-12, wherein x , y and z are each 1 and A-J-D-E together represent $-\text{N}=\text{CH}-\text{CH}=\text{N}-$.
42. The compound of any one of claims 1, 2, 5-7, and 10-12, wherein x , y and z are each 1 and A-J-D-E together represent $-\text{CH}_2-\text{CH}_2-\text{CH}_2-\text{CH}_2-$ and G is CH_2 and w is 0, 1 or 2.
43. The compound of any one of claims 1-7, 10-12 and 18-23, wherein R_1 , R_2 , R_3 and R_4 are each independently hydrogen, halogen, protected or unprotected hydroxyl, protected or unprotected thiol, protected or unprotected amino, alkyl, alkoxy, thioalkyl, mono- or di-substituted alkylamino, or wherein any two adjacent groups R_1 , R_2 , R_3 or R_4 , taken together are a cycloalkyl, heterocycloalkyl, aryl or heteroaryl moiety,
whereby each of the alkyl moieties is independently substituted or unsubstituted, linear or branched, cyclic or acyclic, and each of the aryl and heteroaryl moieties is independently substituted or unsubstituted.
44. The compound of any one of claims 1-7, 10-12 and 18-23, wherein R_1 , R_2 , R_3 and R_4 are each independently hydrogen or lower alkoxy.


45. The compound of any one of claims 1-7, 10-12 and 18-23, wherein R_1 , R_2 , R_3 and R_4 are each independently hydrogen or methoxy.
46. The compound of any one of claims 1-7, 10-12 and 18-23, wherein R_1 , R_2 , R_3 and R_4 are each methoxy.
47. The compound of any one of claims 1-7, 10-12 and 18-23, wherein R_1 is hydrogen and each of R_2 , R_3 and R_4 are independently lower alkoxy.
48. The compound of any one of claims 1-7, 10-12 and 18-23, wherein R_1 is hydrogen and each of R_2 , R_3 and R_4 are methoxy.
49. The compound of any one of claims 1-4, wherein R_5 is alkyl, cycloalkyl, alkenyl, cycloalkenyl, alkynyl, cycloalkynyl, $C_{1-6}OR_{5a}$, $C_{1-6}NR_{5a}R_{5b}$, aryl or heteroaryl; wherein R_{5a} and R_{5b} are each independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, $-C(NH_2)=N(NO_2)$, $-C(=O)OR_{5c}$, $-C(=O)R_{5c}$ or a protecting group; wherein R_{5c} is hydrogen, alkyl, alkenyl, alkynyl, aryl or heteroaryl.
50. The compound of any one of claims 1-4, wherein R_5 is alkyl, cycloalkyl, $-CH_2OR_{5a}$, $-CH_2NR_{5a}R_{5b}$, $-CH_2$ aryl or $-CH_2$ heteroaryl; wherein R_{5a} and R_{5b} are each independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, $-C(NH_2)=N(NO_2)$, $-C(=O)OR_{5c}$, $-C(=O)R_{5c}$ or a protecting group; wherein R_{5c} is hydrogen, alkyl, alkenyl, alkynyl, aryl or heteroaryl.
51. The compound of any one of claims 1-4, wherein R_5 is alkyl, cycloalkyl, CH_2OR_{5a} , $CH_2NR_{5a}R_{5b}$ or substituted or unsubstituted $-CH_2Ph$; wherein R_{5a} and R_{5b} are each independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, $-C(NH_2)=N(NO_2)$, $-C(=O)OR_{5c}$, $-C(=O)R_{5c}$ or a protecting group; wherein R_{5c} is hydrogen, alkyl, alkenyl, alkynyl, aryl or heteroaryl.
52. The compound of any one of claims 1-4, wherein R_5 is $-CH_2OH$ or benzyl.

53. The compound of any one of claims 1-4, wherein R_6 is alkyl, cycloalkyl, alkenyl, cycloalkenyl, alkynyl, cycloalkynyl, aryl or heteroaryl.


54. The compound of any one of claims 1-4, wherein R_6 is lower alkyl or aryl.

55. The compound of any one of claims 1-4, wherein R_6 is $-\text{CH}_2\text{CH}(\text{CH}_3)_2$.

57. The compound of claim 1, 2, 3 or 4, wherein Q has the structure:




58. The compound of claim 57, wherein Q has the structure:




60. The compound of claim 1, 2, 3 or 4, wherein Q is $-\text{B}(\text{OH})_2$.

61. The compound of claim 1, 2, 3 or 4, wherein Q has the structure:




wherein R^{Q3} is lower alkyl and p is an integer from 0-4.

62. The compound of claim 61, wherein Q has the structure:




63. A pharmaceutical composition comprising a compound of any one of claims 1-7, 10-12 and 18-35; and
a pharmaceutically acceptable carrier or diluent, and optionally further comprising an additional therapeutic agent.
64. The pharmaceutical of claim 63 wherein the compound is present in an amount effective to exert an antiproliferative and/or anticancer effect.
65. The pharmaceutical of claim 63 wherein the compound and the additional therapeutic agent are present in an amount effective to exert an antiproliferative and/or anticancer effect.
66. The pharmaceutical of claim 63 wherein the compound is present in an amount effective to exert an anti-inflammatory effect.
67. The pharmaceutical of claim 63 wherein the compound and the additional therapeutic agent are present in an amount effective to exert an anti-inflammatory effect.
68. A method for treating cancer comprising:
administering to a subject in need thereof a therapeutically effective amount of a compound of any one of claims 1-7, 10-12 and 18-35; and
optionally further administering an additional therapeutic agent.
69. The method of claim 68, wherein the method is used to treat prostate, breast, colon, bladder, cervical, skin, testicular, kidney, ovarian, stomach, brain, liver, pancreatic or esophageal cancer or lymphoma, leukemia, or multiple myeloma.
70. The method of claim 68, wherein the cancer is a solid tumor.

71. The compound of claim 3 having the structure:




wherein R_{5a} is hydrogen, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, an oxygen protecting group or a prodrug moiety.

72. The compound of claim 3 having the structure:




wherein AR is an aryl or heteroaryl moiety.

73. The compound of claim 3 having the structure:




wherein R_{5a} and R_{5b} are each independently hydrogen, a nitrogen protecting group, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or a prodrug, or R_{5a} and R_{5b} , taken together, form a heteroalicyclic or heteroaryl moiety.

74. The compound of claim 3 having the structure:




75. The compound of claim 3 having the structure:




wherein R_{5a} is hydrogen, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, an oxygen protecting group or a prodrug moiety.

76. The compound of claim 3 having the structure:




wherein AR is an aryl or heteroaryl moiety.

77. The compound of claim 3 having the structure:




wherein R_{5a} and R_{5b} are each independently hydrogen, a nitrogen protecting group, an aliphatic, alicyclic, heteroaliphatic, heteroalicyclic, aryl or heteroaryl moiety, or a prodrug, or R_{5a} and R_{5b} , taken together, form a heteroalicyclic or heteroaryl moiety.

78. The compound of any one of claims 2, 3 and 71-77, wherein D is absent and z is 0.
79. The compound of any one of claims 2, 3 and 71-77, wherein Q is $-B(OH)_2$.
80. The compound of any one of claims 2, 3 and 71-77, wherein Q is a moiety having the structure:



wherein R^{Q3} is lower alkyl and p is an integer from 0-4.

81. The compound of any one of claims 2, 3 and 71-77, wherein Q is a moiety having the structure:



82. The compound of claim 81, wherein Q is a moiety having the structure:

